



U.S. Registered Holsteins
FOR MAXIMUM PROFIT



U.S. Registered Holsteins
FOR MAXIMUM PROFIT

OFFICIAL HOLSTEIN PEDIGREE

Holstein Association USA Inc.

99% Registered Holsteins Ancestry (RHA-I)

515H00364 DGF CASH

04/06/2019 MALE

DGF CASH-ET
FRA 5356942877 99%RHA-I TP TC TY TV TL

AI TOTAL US
STEVE WOMER
1515 LIVINGSTONE RD STE B
HUDSON, WI 54016-9300
715/808-8561

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

PTA +1677M +65P +60P 81&R12/2022
PTA +9977M +00&P +03&P 100&US
PTA +6.3PL 2.70SCS +1.6DPR1.8&DCE
PTA +.69P +1.16UDC +.05FIC 79&R12/2022
PTA +239PE +1.8FI 1.7&SCE

PTA +1321M +33F +42P 99&R12/2022
PTA +622NM +.06&P +.00&P 4&US
PTA +3.3PL 2.73SCS +.0DPR1.6&DCE
PTA +.19P -.12UDC +.57FIC 98&R12/2022

Protein reported is true protein.

006129591 50562028 2/3/2023

©2021 HOLSTEIN ASSOCIATION USA, INC. BRATTLEBORO, VERMONT 05301-0008 TELEPHONE 802.254.4551 TOLL-FREE WITHIN USA AND CANADA 800.952.5200